



JLD

**FRESH AIR HOSE
BREATHING APPARATUS**
WITH MANUAL OPERATED BLOWER (FAHA - M)





The JLD FRESH AIR HOSE APPARATUS consists of an ISI marked PROTECT 2000 Full Face Mask connected to a corrugated tube ending in a manifold mounted on a harness belt worn around the waist. The manifold is connected to a 15 meters long 20mm I.D. canvas covered wire-embedded rubber hose. The other end of the hose is connected to the hand operated blower.

The hand operated radial blower is a portable unit mounted on a steel frame and housed in a sturdy steel carrying box. It is capable of providing fresh air to 2

persons simultaneously at a minimum flow of 50 LPM.

A Nylon or Manila signaling rope can be spliced on to the belt for signaling between the wearer and operator of the blower. Also available is a wire-embedded hemp-covered life line which can be used in the event of the wearer falling into a confined space and having to be hauled out.

Option: Also available two hose length of 15m / 18m joined by a coupling to be used only in horizontal position work situation.

Ordering information

1	Fresh Air Hose Apparatus with Manually Operated Blower for single user	Fresh Air Hose Breathing Apparatus consisting of a Protect 2000 Full Face Mask (ISI marked), inhalation and exhalation valves, double sealing frame, speech diaphragm, self-demisting inner mask with corrugated tube, connected to a manifold mounted on a harness belt with 20 MM ID x 15m canvas wire embedded rubber hose with adjustable couplings, suitable for 1 person with Nylon signaling robe 17m with Manually Operated Centrifugal Hand Operated Blower mounted in a steel case	D-4015
2	Fresh Air Hose Apparatus with Manually Operated Blower for two users	Fresh Air Hose Breathing Apparatus consisting of 2 nos. Protect 2000 Full Mask (ISI marked), inhalation and exhalation valves, double sealing frame, speech diaphragm, self-demisting inner mask with corrugated tube, connected to a manifold mounted on a harness belt with 20 MM ID x 15m x 2 canvas wire embedded rubber hose with adjustable couplings, with Nylon signaling rope 17m x 2 with Manually Operated Centrifugal Hand Operated Blower mounted in a steel case	D-4016

Joseph Leslie Dynamiks

formerly known as Joseph Leslie Draeger

Joseph Leslie Dynamiks Mfg. Pvt. Ltd. **Head Office Mumbai:** Leslico House, Prof. V.S.Agashe Road, Dadar West, Mumbai 400028. India. **T** +91 22 24227198/1880/1878, +91 22 24376651, **F** +91 22 24303705, **E** mumbai@jldmail.com • **Vasai:** Vora Industrial Estate, Bhoirpada, Sativali Road, Vasai East, Thane 401208. India. **T** +91 250 6456501 - 24, **F** +91 22 24303705 • **Chennai:** #6/3 Avenue Road, Nungambakkam, Chennai 600034. India. **T** +91 44 42028455/42146053, **F** +91 44 28250289, **E** chennai@jldmail.com • **New Delhi:** Office #701, 95, Vishal Bhawan, Nehru Place, New Delhi 110019. India. **T** +91 11 41808300/1/2/3, **F** +91 11 26211685, **E** delhi@jldmail.com • **Kolkata:** 12-F, Everest House, 46-C Jawaharlal Nehru Road, Kolkata 700071. India. **T** +91 33 22883107/22882467/30523108, **F** +91 33 22889644, **E** kolkata@jldmail.com www.josephlesliedynamiks.com An ISO 9001:2008 Company